Amendments to the Claims:

This listing of claims will replace all prior versions, and listings of claims in the application:

Listing of Claims:

1

2

8

9

10

11

12

13

1

2

3

4

- 1. (Currently amended): A data duplicating method that connects a first information processing system comprised of a first host computer and a first storage device and 3 at least one second information processing system comprised of a second host computer and a 4 second storage device through a data transfer path and holds the same data in duplicate in said 5 first and second information processing systems by copying first update data generated in said 6 first information processing system to said second information processing system. 7
 - wherein said second information processing system possesses generates difference control information for identifying second update data generated in said second information processing system that takes over and executes a process of after taking over processing performed by said first information processing system when said first information processing system stops operating, and after resumption of operation of said first information processing system, said second update data is selectively copied to said first information processing system on the basis of said difference control information.
 - 2 (Original): A data duplicating method according to claim 1, wherein said difference control information is a bit map that indicates the presence or absence of completion of data duplication of said first and second update data at a plurality of individual units of data storage in each of said first and second storage devices.
- 1 3. (Currently amended): A data duplicating method that connects a first 2 information processing system comprised of a first host computer and a first storage device and 3 at least one second information processing system comprised of a second host computer and a 4 second storage device through a data transfer path and holds the same data in duplicate in said 5 first and second information processing systems by asynchronously copying first update data 6 generated in said first information processing system to said second information processing

5.

10

11

12

13

14

15 16

1

2

3

4

1

2

14

system and having, in said first information processing system, first difference control
 information for identifying said first update data not copied to said second information
 processing system,

wherein said second information processing system possesses creates second difference control information for identifying second update data generated in said second information processing system that takes over and executes a process of after taking over processing performed by said first information processing system when said first information processing system stops operating, and after resumption of operation of said first information processing system, data in a range specified by said first and second difference control information is selectively copied to said first information processing system.

4. (Original): A data duplicating method according to claim 3, wherein said first and second difference control information are a bit map that indicates the presence or absence of completion of data duplication of said first and second update data at a plurality of individual units of data storage in each of said first and second storage devices.

information processing system comprised of a first host computer and a first storage device and

(Currently amended): A data duplicating method that connects a first

3 at least one second information processing system comprised of a second host computer and a 4 second storage device through a data transfer path and holds the same data in duplicate in said 5 first and second information processing systems by asynchronously copying first update data 6 generated in said first information processing system to said second information processing 7 system and having, in said first information processing system, first difference control 8 information for identifying said first update data not copied to said second information 9 processing system. 10 wherein said second information processing system possesses produces second 11 difference control information for identifying second update data generated in said second 12 information processing system that takes over and executes a process of after taking over 13 processing performed by said first information processing system when said first information

processing system stops operating, and after resumption of operation of said first information

15

16

1

2

3

4

5

6

7

8

9

10

11

12

13

14

processing system, said second update data is selectively copied to said first information processing system on the basis of said second difference control information.

- 1 6. (Original): A data duplicating method according to claim 5, wherein said
 2 first and second difference control information are a bit map that indicates the presence or
 3 absence of completion of data duplication of said first and second update data at a plurality of
 4 individual units of data storage in each of said first and second storage device.
 - 7. (Currently amended): A data duplicating method that connects a first information processing system comprised of a first host computer and a first storage device and at least one second information processing system comprised of a second host computer and a second storage device through a data transfer path and constantly holds the same data in duplicate in said first and second information processing systems by synchronously copying first update data generated in said first information processing system to said second information processing system,

wherein said second information processing system possesses generates second difference control information for identifying second update data generated in said second information processing system that takes over and executes a process of subsequent to taking over processing performed by said first information processing system when said first information processing system stops operating, and after resumption of operation of said first information processing system, said second update data is selectively copied to said first information processing system on the basis of said second difference control information.

- 1 8. (Original): A data duplicating method according to claim 7, wherein said
 2 second difference control information is a bit map that indicates the presence or absence of
 3 completion of data duplication at a plurality of individual units of data storage in each of said
 4 first and second storage devices.
- 1 9. (Currently amended): A data duplicating system comprising a first
 2 information processing system comprised of a first host computer and a first storage device, at

9

10

11

12

13

14

15

16

1

2

3

3 least one second information processing system comprised of a second host computer and a
4 second storage device and a data transfer path through which data transfer between said first and
5 second information processing systems is carried out, whereby said data duplicating system
6 holds the same data in duplicate in said first and second information processing systems by
7 copying first update data generated in said first information processing system to said second
8 information processing system through said data transfer path,

wherein said second information processing system includes-creates difference control information for identifying second update data generated in said second information processing system while taking over and executing a process of subsequent to taking over processing performed by said first information processing system when said first information processing system is disabled to operate, and the function to selectively copy said second update data of said second information processing system to said first information processing system on the basis of said difference control information when said first information processing system is enabled to operate.

- 10. (Original): A data duplicating system according to claim 9, wherein said difference control information is a bit map that indicates the presence or absence of completion of duplication of said first and second update date at a plurality of units of data storage in each of said first and second storage devices.
- 1 11. (Currently amended): A data duplicating system comprising a first 2 information processing system comprised of a first host computer and a first storage device, at 3 least one second information processing system comprised of a second host computer and a 4 second storage device and a data transfer path through which data transfer between said first and 5 second information processing systems is carried out, whereby said data duplicating system 6 holds the same data in duplicate in said first and second information processing systems by 7 asynchronously copying first update data generated in said first information processing system to 8 said second information processing system through said data transfer path.

wherein said first information processing system includes produces first difference control information for identifying said first update data not copied to said second information processing system; and said second information processing system includes produces second difference control information for identifying second update data generated in said second information processing system while taking over and executing a process of subsequent to taking over processing performed by said first information processing system when said first information processing system is disabled to operate, and the function to selectively copy data in a range specified by said first and second difference control information to said first information processing system when said first information processing system is enabled to operate.

- 12. (Original): A data duplicating system according to claim 11, wherein said first and second difference control information are a bit map that indicates the presence or absence of completion of data duplication of said first and second update data at a plurality of units of data storage in each of said first and second storage devices.
- 13. (Currently amended): A data duplicating system comprising a first information processing system comprised of a first host computer and a first storage device, at least one second information processing system comprised of a second host computer and a second storage device and a data transfer path through which data transfer between said first and second information processing systems is carried out, whereby said data duplicating system holds the same data in duplicate in said first and second information processing systems by asynchronously copying first update data generated in said first information processing system to said second information processing system to said second information processing system through said data transfer path,

wherein said first information processing system includes generates first
 difference control information for identifying said first update data not copied to said second
 information processing system; and

12 said second information processing system includes generates second difference
13 control information for identifying second update data generated in said second information
14 processing system while taking over and executing a process of subsequent to taking over

15.

15

16 17

18

19

1

2

3

4

2

3

4

5

6 7

8

9

10

11 12

13

14

15

1

processing performed by said first information processing system when said first information processing system is disabled to operate, and the function to selectively copy said second update data of said second information processing system to said first information processing system on the basis of said second difference control information when said first information processing system is enabled to operate.

14. (Original): A data duplicating system according to claim 13, wherein said first and second difference control information are a bit map that indicates the presence or absence of completion of data duplication of said first and second update data at a plurality of units of data storage in each of said first and second storage devices.

information processing system comprised of a first host computer and a first storage device, at

least one second information processing system comprised of a second host computer and a

(Currently amended): A data duplicating system comprising a first

- second storage device and a data transfer path through which data transfer between said first and second information processing systems is carried out, whereby said data duplicating system holds the same data in duplicate in said first and second information processing systems by synchronously copying first update data generated in said first information processing system to said second information processing system through said data transfer path,

 wherein said second information processing system includes secondgenerates difference control information for identifying second update data generated in said second information processing system while taking over and executing a process of subsequent to taking over processing performed by said first information processing system when said first information processing system is disabled to operate, and the function to selectively copy data in a range specified by said second-difference control information to said first information processing system when said first information system is enabled to operate.
- 16. (Original): A data duplicating system according to claim 15, wherein said second difference control information is a bit map that indicates the presence or absence of

- 3 completion of data duplication of said firs and second update data at a plurality of units of data
- 4 storage in each of said first and second storage devices.